

KERN TN 30-0.01EE

KERN

Hand-held measuring device for ultrasonic material thickness testing in Echo-Echo principle



Display

Display type	LCD
Display digit height	14 mm

Construction

Dimension (W×D×H)	150×74×32 mm
Dimension housing (W×D×H)	150×74×32 mm
Dimensions completely mounted (W×D×H)	150×74×32 mm
Material housing	plastic
Cable length	0,9 m

Functions

Memory function	✓
-----------------	---

Interface

Interfaces	USB-Device
------------	------------

Power Supply

Supplied power supply	Battery
Battery / accumulator type	Alkali(-Manganese)
Battery	2×1.5 V AA
Battery operating time	100 h
Battery capacity	3.000 mAh
Battery voltage	1,5 V

Environmental conditions

Ambient temperature [Min]	-10 °C
Ambient temperature [Max]	40 °C
Storage temperature [Min]	-10 °C
Storage temperature [Max]	40 °C

Approval

CE mark	✓
---------	---

Services (optional)

Article number for factory calibration	961-113
--	---------

Packing & Shipping

Delivery time	1 d
Dimensions packaging (W×D×H)	320×248×85 mm
Net weight	0,245 kg
Shipping method	Parcel service
Net weight approx.	0,25 kg
Gross weight approx.	1,4 kg

Category

Brand	Sauter
Product category	Material thickness measuring device
Product group	Ultrasonic Material thickness gauge Echo-Echo Method
Product family	TN-EE

Measuring System

Material thickness echo-echo [Min] (mm)	3 mm
Material thickness echo-echo [Max] (mm)	30 mm
Material thickness pulse-echo [Min] (mm)	0,65 mm
Material thickness pulse-echo [Max] (mm)	600 mm
Readability material thickness [d] (mm)	0,01 mm
Speed of sound [Min] (m/s)	1000 m/s
Speed of sound [Max] (m/s)	9999 m/s
Measuring head diameter	10 mm
Measuring head measuring frequency	5 MHz
Units	mm inch
Internal data memory: Number of individual values	100
Internal data memory: Number of value groups	20
Tolerance (% of [Max])	0,5%

KERN TN 30-0.01EE




Hand-held measuring device for ultrasonic material thickness testing in Echo-Echo principle

Shipping weight 1,33 kg

Pictograms

STANDARD



OPTION

